

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Sample Result: PASS

<b>Date Reported:</b>	1/5/2025	<b>Sample ID:</b>	20241227-URBN-012
<b>Client Name:</b>	urbanXtracts	<b>Sample Name:</b>	500mg - Live Rosin All In One - Gas Tanker
<b>Sampling Location:</b>	Warwick, New York	<b>Sample Matrix:</b>	Concentrate
<b>Contact Name:</b>	Nick Jakubowsky	<b>Sample Sub Type:</b>	vape
<b>Contact Email:</b>	nickjack.uxny@gmail.com	<b>Package ID:</b>	
<b>License Number:</b>	OCM-PROC-24-000083	<b>Batch Lot ID:</b>	OLI-AIO-1224-GAS
<b>Medical/Adult Use:</b>	Adult Use	<b>Batch Size:</b>	4498
<b>Sampling Date:</b>	12/27/2024 01:19:00 PM	<b>Serving Size (g):</b>	0.5

<b>Potency</b>	T	<b>Pesticides</b>	P	<b>Heavy Metals</b>	P	<b>Mycotoxins</b>	P
<b>Water Activity</b>	-	<b>Microbiological</b>	P	<b>Residual Solvents</b>	P	<b>Terpenes</b>	P
		<b>Moisture</b>	-	<b>Filth &amp; Foreign Material</b>	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: 500mg - Live Rosin All In One - Gas Tanker (20241227-URBN-012)			
Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.900
CBDA	< MRL	< MRL	0.900
CBGA	0.925	4.625	0.900
CBG	3.276	16.381	0.900
CBD	< MRL	< MRL	0.900
THCV	< MRL	< MRL	0.900
CBN	< MRL	< MRL	0.900
D9-THC	70.186	350.928	0.900
D8-THC	< MRL	< MRL	0.900
D10-THC-S	< MRL	< MRL	0.900
D10-THC-R	< MRL	< MRL	0.900
CBC	< MRL	< MRL	0.900
THCA	< MRL	< MRL	0.900

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #89374 | Date Tested: 01/01/2025 06:12 PM

Potency Summary	% w/w	mg/serving
<b>Total THC</b> [ $\Delta^8\text{-THC} + \Delta^9\text{-THC} + \Delta^{10}\text{-THC} + (\text{THCA} * 0.877)$ ]	70.186	350.928
<b>Total CBD</b> [ $\text{CBD} + (\text{CBDA} * 0.877)$ ]	< MRL	< MRL
<b>Total Cannabinoids</b>	74.387	371.934



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: 500mg - Live Rosin All In One - Gas Tanker (20241227-URBN-012)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	0.20	0.10
Camphene	< MRL	0.10
Sabinene	< MRL	0.10
beta-Pinene	< MRL	0.10
beta-Myrcene	0.26	0.10
Alpha-phellandrene	< MRL	0.10
Carene	< MRL	0.10
alpha-terpinene	< MRL	0.10
p-Cymene	< MRL	0.10
Limonene	1.90	0.10
Eucalyptol	< MRL	0.10
Ocimene	< MRL	0.07
gamma-Terpinene	< MRL	0.10
Sabinene Hydrate	< MRL	0.10
Terpinolene	< MRL	0.10
Linalool	< MRL	0.10
Fenchol	0.14	0.10
Menthol	< MRL	0.10
Terpineol	0.10	0.10
Citronellol	< MRL	0.10
Isopulegol	< MRL	0.10
Geraniol	< MRL	0.10
Alpha-cedrene	0.31	0.08
Beta-Caryophyllene	1.74	0.10
Farnesene	< MRL	0.10
alpha-Humulene	0.97	0.10
Valencene	0.48	0.10
cis-Nerolidol	< MRL	0.04
trans-Nerolidol	0.20	0.06
Caryophyllene oxide	< MRL	0.10
Guaiol	< MRL	0.10
alpha-Bisabolol	0.28	0.10

MRL = Minimum reporting limit/limit of quantification Test ID: #89380 | Date Tested: 01/02/2025 10:15 AM

Terpenes Summary	Result	Limit	Pass/Fail
<b>Total Terpenes (% w/w)</b>	6.58	10	PASS



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Residual Solvents: 500mg - Live Rosin All In One - Gas Tanker (20241227-URBN-012) PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	4.490
2-Propanol	PASS	< MRL	5000	672.781
Acetone	PASS	< MRL	5000	134.556
Acetonitrile	PASS	< MRL	410	55.168
Butanes, total	PASS	< MRL	5000	672.781
Benzene	PASS	< MRL	2	0.898
Chloroform	PASS	< MRL	60	8.073
Dichloromethane	PASS	< MRL	600	80.734
Dimethyl Sulfoxide	PASS	< MRL	5000	1211.005
Ethanol	PASS	< MRL	5000	672.781
Ethyl acetate	PASS	< MRL	5000	672.781
Ethyl ether	PASS	< MRL	5000	672.781
n-Heptane	PASS	< MRL	5000	672.781
Hexanes, total	PASS	< MRL	290	39.021
Methanol	PASS	< MRL	3000	403.669
Pentanes, total	PASS	< MRL	5000	672.781
Propane	PASS	< MRL	5000	672.781
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	435.962
Toluene	PASS	< MRL	890	119.755
Trichloroethane	PASS	< MRL	1500	1211.005
Xylenes, total	PASS	< MRL	2170	291.988

MRL = Minimum reporting limit/limit of quantification

Test ID: #89379 | Date Tested: 12/31/2024 10:14 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Pesticides: 500mg - Live Rosin All In One - Gas Tanker (20241227-URBN-012) PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Fonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #89378 | Date Tested: 01/05/2025 04:22 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

Mycotoxins: 500mg - Live Rosin All In One - Gas Tanker (20241227-URBN-012) <b>PASS</b>				
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010
MRL = Minimum reporting limit/limit of quantification			Test ID: #89377   Date Tested: 01/05/2025 04:23 PM	

Heavy Metals: 500mg - Live Rosin All In One - Gas Tanker (20241227-URBN-012) <b>PASS</b>				
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	110.0	8.00
Nickel	PASS	< MRL	2.0	1.00
Copper	PASS	< MRL	30.0	8.00
Arsenic	PASS	< MRL	0.2	0.10
Cadmium	PASS	< MRL	0.2	0.10
Antimony	PASS	< MRL	2.0	1.00
Mercury	PASS	< MRL	0.1	0.05
Lead	PASS	< MRL	0.5	0.20
MRL = Minimum reporting limit/limit of quantification			Test ID: #89375   Date Tested: 01/03/2025 08:02 AM	

Microbiological Screen: 500mg - Live Rosin All In One - Gas Tanker (20241227-URBN-012) <b>PASS</b>				
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	< MRL	10000	100
Total Yeast & Mold	PASS	< MRL	1000	100
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1
MRL = Minimum reporting limit/limit of quantification			Test ID: #89376   Date Tested: 12/31/2024 12:51 PM	



Matthew Elmes  
Lab Director  
1/5/2025

